Data Sheet



1115A & 1115P Capillary Siphons

FEATURES

- All welded stainless steel construction
- For pressure to 10,000 psi
- For process temperature ratings from -300 to 750°F (-184°C to 399°C)
- Compatible with many process media
- For use with gauges, switches, transducers and diaphragm seals

TYPICAL USES

- Chemical and petrochemical
- Oil and gas
- Pulp and paper
- Power

SPECIFICATIONS	
Process Connection:	1/4 NPT Male, 1/2 NPT Male & Female
Instrument Connection:	1/4 NPT Female, 1/2 NPT Male & Female
Line Length:	One foot minimum up to 100 feet maximum
Max Allowable Working Pressure:	10,000 psi
Temperature Limits:	-300°F to 750°F (-184°C to 399°C)
Wetted Materials:	304 stainless steel
Outer Capillary Diameter:	0.125″
Inner Capillary Diameter:	0.062"




Stainless steel armored capilllary



KEY BENEFITS

- Protects instrument from elevated temperatures
- Remote mounting of instrument to the process

WETTED COMPONENTS	
Process/Instrument Connection	316L Stainless steel
Capillary	304 Stainless steel




This graph represents the heat dissipation based on results of a specific laboratory test. These results may vary in the field based on multiple factors such as ambient temperature, type of process media and/or velocity. This data set is to be used as a reference point only. These test results are based on an ambient temperature of 68°F.

Data Sheet



1115A & 1115P Capillary Siphons

ORDERING CODE	Example:	04	1115A	50	005
Process Connection					
02 - 1/4 NPT Male			_		
04 - ½ NPT Male		04	_		
25 - ¼ NPT Female					
50 - ½ NPT Female					
Model			_		
1115A - Standard armored stainless steel ca	pillary siphon		1115A		
1115P - Standard armored stainless steel ca	pillary siphon with PVC sh	neating			
Instrument Connection					
02 - 1/4 NPT Male					
04 - ½ NPT Male					
25 - ¼ NPT Female					
50 - ½ NPT Female				50	
Length in Increments of Feet					
001 - 1′					
005 - 5´					005
025 - 25′					
100 - 100´					



Note:

When attaching capillaries to an instrument or seal, the connection size must match.

- For gauges, transducers and inH₂0 switches the capillary instrument connection must be female.
- For switches, the capillary instrument connection must be male.
- For seals, the capillary process connection must be male.